



VERZORGINGSSTAAT / CARESHEET

SLANGEN VOOR BEGINNERS

- *Zijn niet giftig*
- *Zijn gemakkelijk te hanteren*
- *Zijn nauwelijks gevoelig voor stress*
- *Zijn goede eters*

- *Eten gemakkelijk aan te schaffen (of zelf te kweken) prooidieren*
- *Stellen beperkte eisen aan de behuizing*
- *Stellen beperkte eisen aan klimatologische omstandigheden*
- *Zijn zonder veel moeite tot paring aan te zetten*
- *Zijn relatief gemakkelijk groot te brengen*

VERZORGINGSSCHEMA:

Latijnsche naam	<i>Thamnophis sirtalis sirtalis</i>
Nederlandse naam	Kousenbandslang
Maximal formaat	130 cm.
Verspreiding	Zuidelijk Canada, de Verenigde Staten en
Woonomgeving	In de buurt van water en ook vaak in de buurt van mensen. Deze slangensoort komt niet voor in de w
Afmeting terrarium	50l.-30b.-80h.cm.
Inrichting terrarium	Druivenhout als klimgelegenheid, kunsthongplantjes waar ze zich in/achter kunnen verschuilen, helft van de bodem bedekt met ruime waterbak, andere helft bedekt met hydrokorrels. 40 watt war bovenin het terr
Min. max. dagtemperatuur °C	's zomers op de bodem 21°C, vrij constant. 's winters +/- 20°C. in winterslaap +/- 16°C.
Min. max. nachttemperatuur °C	's zomers op de bodem +/- 18°C, ligt ook aan de buiten temperatuur. 's Winters +/- 15°C, in de winterslaap 11°C.
Luchtvochtigheid	+/- 70 B 75%. Sproeide regelmatig in het terrarium + grote waterbak.
Prooidieren	Stukjes zalm, goudvis, regenwormen. Nodat ze +/- drie maanden bij ons waren weigerden ze elke prooi.
Voedingsfrequentie	Eens per week; 2 tot 5 vissen. In de winter aten ze minder, ± 2 vissen in de week, terwijl dit in de zomer wel eens op kon lopen tot 7 vissen (niet vaak, maar toch) Men moet met eten geven toch wel uitkijken want de meeste Thamnophissen zijn veelvrat!
Wanneer geslachtsrijp	Na ongeveer 1-1/2 jaar. Heb ik me laten vertellen.
Paringsstimulans	Uit elkaar zetten tijdens een korte winterslaap. Meerdere Thamnophissen bij elkaar.
Draagtijd	Gemiddeld 2 -1/2 maand.
Eierleggend of eierlevendbarend	Eierlevendbarend.
Aantal jongen per worp	Vijf tot tachtig jongen.
Voorzieningen ten behoeve van het eieren leggen	
Uitbroeden van eieren	
opkweken van jongen:	Geen ervaring mee
Ingevuld door:	M. Jasker





SNAKES FOR STARTERS

- Are not venomous
- Are easy to handle
- Are hardly sensitive for stress
- Are good eaters
- Are easy to buy (or breed self) prey
- Requires limited needs for their housing
- Requires limited needs for climate & conditions
- Are easy to start with breeding
- Are relatively easy to bring to adulthood

CARE SCHEMA :

Latin name	<i>Thamnophis sirtalis sirtalis</i>
English name	Garter-snake
Maximum format	130 cm.
Distribution	Southern Canada, the United States and Mexico.
Habitat	In the vicinity of water and often found close to people. This snake sort is never found in desert regions.
Terrarium requirements	50l.-30b.-80h.cm.
Terrarium decorations	Grapevine as climbing rock, artificial hanging plants where they can hide in/behind, half the floor covered with a large water dish and the other half covered with hydro-granules. A 40 watt lamp for warmth above in the terrarium.
Min. Max. daytime temperature	In the summer: ground temp. constant 21°C. In the winter +/- 20°C in winter-sleep +/- 16°C.
Min. max. night time temperature °C	In the summer ground temp. +/- 18°C, depends on the outside temperature. In the winter +/- 15°C. in the winter-sleep 11°C.
Humidity	+/- 70 – 75%. Sprayed regularly in the terrarium + large water dish.
Prey	Pieces of salmon, goldfish, earthworms. After three months she refused every sort of prey offered to her.
Feeding Frequency	Once a week, 2-5 fish. In the winter +/- 2 fish in the week, whereas it could run up to 7 fish in the week (not every time but it still happened.) Be careful with feeding because the most Thamnophises are greedy.
Matures	Around 1-1/2 years (or so I was told).
Paring Stimulation	Hold apart during a short winter-sleep. Numerous Thamnophises together.
Gestation Period	approx. 2 1/2 months.
Egg-laying or egg-live birth	Egg-live birth.
Number of young per litter	5-80 young.
Provisions to meet conditions necessary for egg-laying	
Hatching of eggs	
Raising of young:	N/a.
Filled in by	M. Jasker